

General Equipment list





## **GENERAL SPECIFICATIONS**

• L.O.A*:	6,40 - 6,80 m	21' - 22'4"
Hull length:	6,20 m	20'4"
<ul><li>Overall width:</li></ul>	2,52 m	8'3"
Beam:	2,50 m	8'2"
<ul><li>Draught (min/max):</li></ul>	0,40 - 0,80 m	1'4" - 2'7"
<ul><li>Air draught:</li></ul>	1,80 m	5'11"
<ul> <li>Light displacement (EC):</li> </ul>	1 491 kg	3,286 lbs
<ul> <li>Light displacement without engine:</li> </ul>	1 207 kg	2,660 lbs
• Fuel tank:	170 I	45 US Gal
<ul> <li>Water tank (optional extra):</li> </ul>	100 I	26 US Gal
<ul> <li>Max engine certification:</li> </ul>	200 HP	200 HP
<ul><li>Length - Driving shaft:</li></ul>	XL / 635mm	25"

<sup>\*</sup> Length given without engine

## ARCHITECT / DESIGNERS \_

- Hull development: Remi Laval Jeantet /Tanguy Le Bihan / Patrick Tableau
- Designers: Style & Design

## EC CERTIFICATE\_\_

- Category C 8 persons
- Category D 10 persons

## AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ



General Equipment list

#### STANDARD EQUIPMENT

#### CONSTRUCTION

#### HULL

Composition:

- Polyester sandwich
- · Injection moulded hull
- · White gel coat
- AIRSTEP patented hull<sup>®</sup>

## **DECK**

Composition:

- · Polyester sandwich
- · White gel coat

#### DECK EQUIPMENT

#### **MOORING LINES - MOORING**

- · Self-bailing mooring locker with hatch cover
- · Eye bolt to secure mooring
- 2 Forward cleats + 2 Aft cleat(s) in 200 mm / 8" aluminium
- Winching ring on bow
- · 2 Chain plate on aft transom
- Stainless steel bow roller + 1 Cleat

#### **SAFETY ON DECK**

- · Stainless steel open pulpit
- Wide sideways around the consol: Port side 34 cm / 1'1", Starboard 32 cm / 1'1"

#### DECK

- 2 2 people forward seats, with storage lockers
- 2 people seat, in front of the consol, with handrail
- 3x storage / cup holders

#### **COCKPIT**

- Wide and deep self-bailing cockpit (2,08 M / 6'10" length and 2,08 M / 6'10" width)
- 3 people aft seat, with stainless steel handrail on backrest
- 1 people removable extented seat, with backrest / Security door
- · Large lockable cockpit locker (BIB location)
- (170 L / 45 US Gal) hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- Fuel filler on transom
- Locked storage on starboard aft platform
- · Locked storage on starboard aft platform
- All-round light on samson post mounted on starboard freeboard
- Navigation lights (Port and starboard)

#### **INTERIOR**

Headroom = 1,49 m / 4'11"

- · Brown oak laminated floors
- Cabin access through sliding door in translucent grey PMMA, Lock with key
- Functional storage lockers
- · Dedicated position for marine WC (optional)
- · Ceiling light
- · Battery switch
- 12 V socket

#### STEERING STATION

- · Grey tinted windscreen in PMMA
- · Handrail around the windscreen
- Center consol
- Dashboard with location for electronics , 7" screen, rpm and trim
- · Fuel gauge
- 12 V socket
- · Sports steering wheel
- Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
- Fitted footrests
- Hydraulic steering
- Pilot and co-pilot seats with Bolster function 360 ° swivelling and adjustable (PVC Diamante Snow + Silvertex Storm upholstery)
- · Copilot hand rail

#### **ELECTRICITY**

- 12 V electrical panel
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

## **PLUMBING**

- 1 Manual bilge pump
- 1 Electric bilge pump
- optional extra:
- Water unit
- Pressured cold water
- · Deck filler, under pilot bench



General Equipment list

## **VERSION**

## NORDIC VERSION

- Bow ladder (in place of the : Stainless steel bow roller + 1 Cleat)
- · Silvertex Carbon Cushions: Pilot and copilot seat
- · Light grey windscreen

### **OPTIONS**

### **PACKS**

#### **COMFORT PACK**

- 3 people removable polyester cockpit benchseat, convertible sunbed
- Twin colors PVC Diamante Snow + Silvertex Storm exterior cushions:
- Cockpit bench seat (3+1),
- Cockpit backrest (3+1),
- Forward portside seat,
- Forward starboard seat,
- Consol seat,
- Mattress for aft sunbed + 2 Headrests.
- Removable cockpit table (2 Housings: Cockpit + forward)

#### **NORDIC PACK**

- 3 people removable polyester cockpit benchseat, convertible sunbed
  Exterior upholstery PVC Silvertex Carbon piping:
- Cockpit bench seat (3+1),
- Cockpit backrest (3+1),
- Forward portside seat,
- Forward starboard seat,
- Consol seat,
- Mattress for aft sunbed + 2 Headrests.
- Removable cockpit table (2 Housings: Cockpit + forward)

## **ELECTRONIC - 2016 PACK**

- Multifunction LOWRANCE Elite 7" CHIRP screen
- LOWRANCE HDI Sensor

### **ELECTRONIC - UPGRADED 2016 PACK**

- Multifunction LOWRANCE HDS 7" Touch GEN3 screen (chart not included)
- LOWRANCE HDI Sensor

## **SOUND 2016 PACK**

- Fusion MS-RA205
- 50 W speakers x 2

#### **SOUND SIGNATURE PLUS PACK**

- Fusion MS-RA205
- Amp (1 600 W)
- Speakers (230 W x 2) Signature sport chrome, blue LED
- Subwoofer (450 W)



General Equipment list

### **OTHER OPTIONS**

- · Forward sun bed hamock style
- · Console cover
- · Mooring awning
- · Charcoal grey twin colors bimini + Terra orange
- Forward sun awning extension (cannot be used while cruising) \*
- Pilot consol integral protection
- Marine toilet + 88 L / 23 US Gal black water tank, in the cockpit locker + Gauge
- Cold water pressured cockpit shower hose, soft water tank in the back of the cockpit locker (100 I / 26 US Gal)
- · Stainless steel ski mast
- · Bathing platforms
- Electric windlass 12 V + Bow roller hinge + Safety
- Offshore Compass
- 2 Fishing rod holders
- T-Top
- · Solid wood cockpit
- Rigid fore sunbed
- Pre rigging Suzuki electronic 1 x (150-200 CV/HP)
- Pre rigging Suzuki 1 x (150-200 CV/HP)
- Pre rigging Yamaha electronic 1 x (150 CV/HP)
- Pre rigging Yamaha 1 x (115-150 CV/HP)
- Pre rigging Honda 1 x (115-200 CV/HP)
- Pré-rigging Mercury mecanic 1 x (F150 CV/HP)
- Pré-rigging Mercury electronic 1 x (150-200 CV/HP Verado)

## **ENGINE SET UP**

See sea trial data.



America/Export: Please note that electric power and appliances may be different and/ or not offered on standard or on option. They would be adapted locally by your dealer.

<sup>\* (</sup>Bimini option required)